



ATTACHMENT 2

TO

April 26, 2023

**ANNUAL REPORT OF SYSTEM
RELIABILITY ISSUES**

**REQUESTS FOR ADDITIONAL
SUPPLIES TO MEET THE MINIMUM
FLOW REQUIREMENTS**



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 101,000 DTH

Flow Date(s) Requested: June 27, 2022

Time of Request: 08:00:00 pm June 26, 2022

Reason for Request: Southern System scheduled quantities are expected to be 101,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 52,000 DTH

Flow Date(s) Requested: July 19, 2022

Time of Request: 08:40 pm July 18, 2022

Reason for Request: Southern System scheduled quantities are expected to be 52,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 45,000 DTH

Flow Date(s) Requested: July 19, 2022

Time of Request: 12:00 pm July 19, 2022

Reason for Request: Southern System scheduled quantities are expected to be 45,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 72,000 DTH

Flow Date(s) Requested: July 20, 2022

Time of Request: 08:20 pm July 19, 2022

Reason for Request: Southern System scheduled quantities are expected to be 72,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 35,000 DTH

Flow Date(s) Requested: July 20, 2022

Time of Request: 04:45 pm July 20, 2022

Reason for Request: Southern System scheduled quantities are expected to be 35,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 100,000 DTH

Flow Date(s) Requested: July 21, 2022

Time of Request: 08:50 pm July 20, 2022

Reason for Request: Southern System scheduled quantities are expected to be 100,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 112,000 DTH

Flow Date(s) Requested: July 22, 2022

Time of Request: 08:15 pm July 21, 2022

Reason for Request: Southern System scheduled quantities are expected to be 112,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 72,000 DTH for each day

Flow Date(s) Requested: July 23, July 24, and July 25, 2022

Time of Request: 01:00 pm July 22, 2022

Reason for Request: Southern System scheduled quantities are expected to be 72,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 61,000 DTH

Flow Date(s) Requested: July 25, 2022

Time of Request: 07:40 pm July 24, 2022

Reason for Request: Southern System scheduled quantities are expected to be 61,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 26,000 DTH

Flow Date(s) Requested: July 26, 2022

Time of Request: 08:20 pm July 25, 2022

Reason for Request: Southern System scheduled quantities are expected to be 26,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 41,000 DTH

Flow Date(s) Requested: August 4, 2022

Time of Request: 7:50 pm August 3, 2022

Reason for Request: Southern System scheduled quantities are expected to be 41,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 26,000 DTH

Flow Date(s) Requested: August 4, 2022, Cycle 4

Time of Request: 12:03 pm August 4, 2022

Reason for Request: Southern System scheduled quantities are expected to be 26,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 96,000 DTH

Flow Date(s) Requested: August 5, 2022,

Time of Request: 8:16 pm August 4, 2022

Reason for Request: Southern System scheduled quantities are expected to be 96,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 65,000 DTH

Flow Date(s) Requested: August 6, 2022 & August 7, 2022

Time of Request: 01:30pm August 5, 2022

Reason for Request: Southern System scheduled quantities are expected to be 65,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 156,000 DTH

Flow Date(s) Requested: August 8, 2022

Time of Request: 08:00pm August 7, 2022

Reason for Request: Southern System scheduled quantities are expected to be 156,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 182,000 DTH

Flow Date(s) Requested: August 9, 2022

Time of Request: 07:45pm August 8, 2022

Reason for Request: Southern System scheduled quantities are expected to be 182,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 122,000 DTH

Flow Date(s) Requested: August 10, 2022

Time of Request: 07:45pm August 9, 2022

Reason for Request: Southern System scheduled quantities are expected to be 122,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 123,000 DTH

Flow Date(s) Requested: August 11, 2022

Time of Request: 07:45pm August 10, 2022

Reason for Request: Southern System scheduled quantities are expected to be 123,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 63,000 DTH

Flow Date(s) Requested: August 11, 2022

Time of Request: 011:55am August 11, 2022

Reason for Request: Southern System scheduled quantities are expected to be 63,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 72,000 DTH

Flow Date(s) Requested: August 11, 2022

Time of Request: 03:30pm August 11, 2022

Reason for Request: Southern System scheduled quantities are expected to be 72,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 109,000 DTH

Flow Date(s) Requested: August 12, 2022

Time of Request: 09:10pm August 11, 2022

Reason for Request: Southern System scheduled quantities are expected to be 109,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 43,000 DTH

Flow Date(s) Requested: August 12, 2022

Time of Request: 12:00pm August 12, 2022

Reason for Request: Southern System scheduled quantities are expected to be 43,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 52,000 DTH

Flow Date(s) Requested: August 13, 14, & 15, 2022

Time of Request: 01:30pm August 12, 2022

Reason for Request: Southern System scheduled quantities are expected to be 52,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 21,000 DTH

Flow Date(s) Requested: August 16, 2022

Time of Request: 08:00 pm August 15, 2022

Reason for Request: Southern System scheduled quantities are expected to be 21,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 128,000 DTH

Flow Date(s) Requested: August 17, 2022

Time of Request: 08:00 pm August 16, 2022

Reason for Request: Southern System scheduled quantities are expected to be 128,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 27,000 DTH

Flow Date(s) Requested: August 17, 2022

Time of Request: 11:55 am August 17, 2022

Reason for Request: Southern System scheduled quantities are expected to be 27,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 74,000 DTH

Flow Date(s) Requested: August 18, 2022

Time of Request: 07:30 pm August 17, 2022

Reason for Request: Southern System scheduled quantities are expected to be 74,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 74,000 DTH

Flow Date(s) Requested: August 30, 2022

Time of Request: 7:55 PM August 29, 2022

Reason for Request: Southern System scheduled quantities are expected to be 74,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 17,000 DTH

Flow Date(s) Requested: August 30, 2022

Time of Request: 11:30 AM August 30, 2022

Reason for Request: Southern System scheduled quantities are expected to be 17,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 124,000 DTH

Flow Date(s) Requested: August 31, 2022

Time of Request: 7:43 PM August 30, 2022

Reason for Request: Southern System scheduled quantities are expected to be 124,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 28,000 DTH

Flow Date(s) Requested: August 31, 2022

Time of Request: 11:25 AM August 31, 2022

Reason for Request: Southern System scheduled quantities are expected to be 28,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 74,000 DTH

Flow Date(s) Requested: September 1, 2022

Time of Request: 08:08 PM August 31, 2022

Reason for Request: Southern System scheduled quantities are expected to be 74,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 62,000 DTH

Flow Date(s) Requested: September 1, 2022

Time of Request: 11:50 AM September 1, 2022

Reason for Request: Southern System scheduled quantities are expected to be 62,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System (Otay Mesa)

Quantity Requested: 65,000 DTH

Flow Date(s) Requested: September 1, 2022

Time of Request: 04:30 PM September 1, 2022

Reason for Request: To maintain system integrity in the southern system.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 46,000 DTH

Flow Date(s) Requested: September 2, 2022

Time of Request: 08:10pm August 31, 2022

Reason for Request: Southern System scheduled quantities are expected to be 46,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 56,000 DTH

Flow Date(s) Requested: September 6, 2022

Time of Request: 11:30 AM September 6, 2022

Reason for Request: Southern System scheduled quantities are expected to be 56,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 51,000 DTH

Flow Date(s) Requested: September 7, 2022

Time of Request: 11:35 AM September 7, 2022

Reason for Request: Southern System scheduled quantities are expected to be 51,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 57,000 DTH

Flow Date(s) Requested: September 8, 2022

Time of Request: 07:45 pm September 7, 2022

Reason for Request: Southern System scheduled quantities are expected to be 57,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 47,000 DTH

Flow Date(s) Requested: September 8, 2022

Time of Request: 11:45 am September 8, 2022

Reason for Request: Southern System scheduled quantities are expected to be 47,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 35,000 DTH

Flow Date(s) Requested: December 2, 2022

Time of Request: 07:45pm December 1, 2022

Reason for Request: Southern System scheduled quantities are expected to be 35,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 59,000 DTH

Flow Date(s) Requested: December 8, 2022

Time of Request: 9:15 PM December 7, 2022

Reason for Request: Southern System scheduled quantities are expected to be 59,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 39,000 DTH

Flow Date(s) Requested: December 9, 2022

Time of Request: 8:15 PM December 8, 2022

Reason for Request: Southern System scheduled quantities are expected to be 39,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 38,000 DTH

Flow Date(s) Requested: December 12, 2022

Time of Request: 8:00 PM December 11, 2022

Reason for Request: Southern System scheduled quantities are expected to be 38,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 128,000 DTH

Flow Date(s) Requested: December 13, 2022

Time of Request: 8:00 PM December 12, 2022

Reason for Request: Southern System scheduled quantities are expected to be 128,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 138,000 DTH

Flow Date(s) Requested: December 14, 2022

Time of Request: 8:30 PM December 13, 2022

Reason for Request: Southern System scheduled quantities are expected to be 138,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 143,000 DTH

Flow Date(s) Requested: December 15, 2022

Time of Request: 8:30 PM December 14, 2022

Reason for Request: Southern System scheduled quantities are expected to be 143,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 78,000 DTH

Flow Date(s) Requested: December 16, 2022

Time of Request: 8:20 PM December 15, 2022

Reason for Request: Southern System scheduled quantities are expected to be 78,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 81,000 DTH

Flow Date(s) Requested: December 17, 2022

Time of Request: 1:50 PM December 16, 2022

Reason for Request: Southern System scheduled quantities are expected to be 81,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 86,000 DTH

Flow Date(s) Requested: December 18, 2022

Time of Request: 1:50 PM December 16, 2022

Reason for Request: Southern System scheduled quantities are expected to be 86,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 68,000 DTH

Flow Date(s) Requested: December 19, 2022

Time of Request: 7.56 PM December 18, 2022

Reason for Request: Southern System scheduled quantities are expected to be 68,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 88,000 DTH

Flow Date(s) Requested: December 20, 2022

Time of Request: 8:20 PM December 19, 2022

Reason for Request: Southern System scheduled quantities are expected to be 88,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 27,000 DTH

Flow Date(s) Requested: December 20, 2022

Time of Request: 11:40 AM December 20, 2022

Reason for Request: Southern System scheduled quantities are expected to be 27,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 66,000 DTH

Flow Date(s) Requested: December 21, 2022

Time of Request: 8:05 PM December 20, 2022

Reason for Request: Southern System scheduled quantities are expected to be 66,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 108,000 DTH

Flow Date(s) Requested: December 22, 2022

Time of Request: 9:00 PM December 21, 2022

Reason for Request: Southern System scheduled quantities are expected to be 108,000 DTH below the southern system minimum flowing supply requirement.



Southern System Reliability Request

Purpose: SoCalGas' Gas Control Department is requesting that Transmission & Storage Strategy acquire gas supplies to ensure system reliability.

Location: Southern System

Quantity Requested: 41,000 DTH

Flow Date(s) Requested: February 14, 2023

Time of Request: 7:50 PM February 13, 2023

Reason for Request: Southern System scheduled quantities are expected to be 41,000 DTH below the southern system minimum flowing supply requirement.